

SAFETY SHOES




ZAPATO

Safety Footwear

- We are specialized in production of quality Safety, Protective & Occupational Footwear
- We offer safety footwear that have 200J Impact resistant Toe caps, Anti-perforation Insoles and Mid-plates, water resistant Full Grain leather etc.

LEATHER

Real Leather with Breathability and vapor permeability involved in our process.

TOE CAP

Protective toe cap like steel, fiberglass, and composite involved in our process

SOLE

We offer a wide selection of soles like dual-density, slip resistance, anti-penetration, ESD/ Antistatic/ Conductive, Fire Retardant features.



SPECIFICATION – S1 – S1P – S3 SR – ESD

OUR FOOTWEAR CAN BE USED IN



Construction Sites



Manufacturing Units



Hospitals



Aviation & Railways



Shipyards & Ports



Electricity Boards
& Power Sector



Oil, Gas &
Mining Industry



Government
Institution



Chemicals &
Pharmaceuticals Industry

Certificates



Quality Standards

Testing Laboratories





Lifestyle

Safety

#6 - 10



Outdoor

Safety

#11 - 14



Industrial

Safety

#15 - 23


ZAPATO

Lifestyle

Safety





#10101 S3 SR

Upper **WATER REPELLENT CRAZY HORSE S2**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#10102 S1P SR

Upper **BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **KEVLAR 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#10103 S1P SR

Upper **FULL GRAIN LEATHER / SPORT MESH COMBINATION**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **KEVLAR 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#10104 S1P SR

Upper **CRAZY HORSE / BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#10105 S1P SR

Upper **BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID ANTI PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#10106 S1P SR

Upper **BOVINE SUEDE/ SPORT MESH COMBINATION**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **KEVLAR 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE





#10107 S1P SR

Upper **CRAZY HORSE / SPORT MESH COMBINATION**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- **S1 CATEGORY**
- **SINGLE DENSITY SOLE**
- **COMPOSITE TOECAP**
- **PARA-ARAMID ANTI-PERFORATION INSOLE**



#10108 S1P SR

Upper **CRAZY HORSE / SPORT MESH COMBINATION**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- **S1 CATEGORY**
- **SINGLE DENSITY SOLE**
- **COMPOSITE TOECAP**
- **PARA-ARAMID ANTI-PERFORATION INSOLE**



#10109 S1P SR

Upper **SPORT FLYKNIT**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- **S1 CATEGORY**
- **SINGLE DENSITY SOLE**
- **STEEL TOECAP**
- **STEEL MID-PLATE**



#10110 S1P SR

Upper **BOVINE SUEDE / SPORT MESH**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID ANTI PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#10111 S1P SR

Upper **CRAZY HORSE / SPORT MESH**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID ANTI PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#10112 S1P SR

Upper **FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID ANTI PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE




ZAPATO

Outdoor

Safety



Outdoor Safety



#30101 S1P SR

Upper **CRAZY HORSE / SPORT MESH COMBINATION**
Lining **3D HIGHLY BREATHABLE SPACER**
Toe Cap **STEEL 200J IMPACT RESISTANT**
Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
Sole **DOUBLE DENSITY PU/PU**
Standard **EN ISO 20345:2022**

- Available Options
- **S1 CATEGORY**
 - **SINGLE DENSITY SOLE**
 - **COMPOSITE TOECAP**
 - **PARA-ARAMID ANTI-PERFORATION INSOLE**



#30102 S1P SR

Upper **CRAZY HORSE / SPORT MESH COMBINATION**
Lining **3D HIGHLY BREATHABLE SPACER**
Toe Cap **STEEL 200J IMPACT RESISTANT**
Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
Sole **DOUBLE DENSITY PU/PU**
Standard **EN ISO 20345:2022**

- Available Options
- **S1 CATEGORY**
 - **SINGLE DENSITY SOLE**
 - **COMPOSITE TOECAP**
 - **PARA-ARAMID ANTI-PERFORATION INSOLE**



#30103 S1P SR

Upper **BOVINE SUEDE LEATHER**
Lining **3D HIGHLY BREATHABLE SPACER**
Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
Mid-plate **PARA-ARAMID ANTI PERFORATION RESISTANT**
Sole **DOUBLE DENSITY PU/PU**
Standard **EN ISO 20345:2022**

- Available Options
- **S1 CATEGORY**
 - **SINGLE DENSITY SOLE**
 - **STEEL TOECAP**
 - **STEEL MID-PLATE**





#30104 S1P SR

Upper **CRAZY HORSE LEATHER / SPORT MESH**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#30105 S1P SR

Upper **BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#30106 S1P SR

Upper **CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



Outdoor Safety



#30107 S1P SR ESD

Upper **BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- **S1 CATEGORY**
 - **SINGLE DENSITY SOLE**
 - **COMPOSITE TOECAP**
 - **PARA-ARAMID ANTI-PERFORATION INSOLE**



#30108 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- **S1, S1P, S2 CATEGORY**
 - **SINGLE DENSITY SOLE**
 - **STEEL TOECAP**
 - **STEEL MID-PLATE**



#30109 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER & BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID ANTI PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- **S1, S1P, S2 CATEGORY**
 - **SINGLE DENSITY SOLE**
 - **STEEL TOECAP**
 - **STEEL MID-PLATE**





Industrial

Safety



#20101 S3 SR

Upper **WATER REPELLENT FULL GRAIN HAIRCELL LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#20102 SB SR

Upper **BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#20103 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE





#20104 S3 SR

Upper **WATER REPELLENT OILY NUBUCK LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20105 S1P SR

Upper **BOVINE SUEDE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#20106 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20107 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#20108 S3 SR

Upper **WATER REPELLENT FULL GRAIN HAIRCELL LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20109 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE





#20110 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20111 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20112 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20113 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- S1, S1P, S2 CATEGORY
- SINGLE DENSITY SOLE
- COMPOSITE TOECAP
- PARA-ARAMID ANTI-PERFORATION INSOLE



#20114 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- S1, S1P & S2 CATEGORY
- SINGLE DENSITY SOLE
- COMPOSITE TOECAP
- PARA-ARAMID ANTI-PERFORATION INSOLE



#20115 S1P SR

Upper **CRAZY HORSE LEATHER/SPORT MESH**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- S1 CATEGORY
- SINGLE DENSITY SOLE
- COMPOSITE TOECAP
- PARA-ARAMID ANTI-PERFORATION INSOLE





#20116 S1P SR

Upper **CRAZY HORSE LEATHER/SPORT MESH**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20117 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#20118 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20119 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20120 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20121 S3 SR

Upper **WATER REPELLENT FULL GRAIN HAIRCELL LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE





#20122 S3 SR

Upper **WATER REPELLENT FULL GRAIN PRINTED LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#20123 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **COMPOSITE 200J IMPACT RESISTANT**
 Mid-plate **PARA-ARAMID 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



#20124 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



Company Profile




In 1990, we launched our operations in Kanpur under the name SABA INTERNATIONAL, focusing on the production and marketing of finished leather for the domestic shoe industry. Within a short period, our company established a reputation as a reliable manufacturer and supplier of high-quality finished leather in the domestic market. As the years passed, our growth continued to accelerate.

In 2002, we expanded our capabilities by building a new tannery and began exporting our finished leather to the Far East under the name SABA EXPORTS. This strategic move not only broadened our market reach but also solidified our commitment to quality and innovation.

Recognizing the growing demand for specialized footwear, we later expanded our manufacturing to include safety shoes, catering to various industries worldwide. Our safety shoes are designed to meet international standards, ensuring durability and protection for workers in diverse environments. Today, we proudly serve clients across the globe, continually striving to enhance our product offerings and maintain our reputation as a trusted leader in the leather and footwear industry.

The company operates four dedicated LWG Gold rated Leather production tanneries, along with a specialized footwear factory focused on safety shoes and uppers, as well as a leather goods factory that manufactures a wide range of leather accessories. Our facilities are equipped with the latest advanced machinery from Italy and Germany, ensuring efficient and high-volume production.



SCAN QR TO DOWNLOAD
THIS CATALOG



ZAPATO



SABA EXPORTS

A Govt. Recognized Manufacturing & Export House

-  PA/104/90-A(28-C), Sanjay Nagar,
Wajidpur, Jajmau, Kanpur - 208010, India
-  +91-9235443588
-  Info@groupsaba.com
-  www.groupsaba.com